

Thermohygrometer Model 6841

Indoor Environmental Measurement Products Quality Control



Features:

- Ultralight and palm-size
- Easy to use
(Select temperature, humidity, or power on/off)



Specifications

| | | |
|------------------------------|---------------------|--|
| Measuring Object | | Clean airflow |
| Measuring range | Temperature | -4 to 113°F (-20 to 45°C) |
| | Humidity | 5 to 95%RH |
| Display resolution | Temperature | 0.1°F or 0.1°C |
| | Humidity | 0.1%RH |
| Accuracy | Temperature | +/-0.9°F (+/-0.5°C) |
| | Humidity | +/-3%RH |
| Responsiveness | | 30 sec |
| Measuring Function | | Conversion between °F and °C |
| Dimension | Main Unit | Approx. 2.4" x 4.7" x 1.3" (60 x 120 x 34mm) |
| | Probe | Approx. φ 19 x 170mm |
| | Cable | Approx. φ 3.3 x 1.5m |
| Power Supply | | AAA Battery x 4 (Mn, Alkaline, or Ni-Cd) |
| Operating Environment | Main Unit | 41 to 104°F (5 to 40°C) |
| | Probe | -4 to 113°F (-20 to 45°C) |
| | Storage Temperature | 14 to 122°F (-10 to 50°C) |
| Weight (including batteries) | | Approx. 6.3oz (180g) |
| Accessories | | AAA Mn batteries x 4 |